HP LaserJet Managed MFP E72530



Premium quality, maximum uptime, and the strongest security from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.



HP LaserJet Managed MFP E72530dn



HP LaserJet Managed Flow MFP E72530z

High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast up to 30 ppm.³

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network—store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning. (For Z models only)

Product walkaround

- . 250-sheet automatic document feeder supports media up to 11×17 inches (A3) $^{\text{1}}$
- . Flatbed scanner handles sheets up to 11.7 \times 17 inches (297 \times 432 mm)
- $3.\,8.0$ inch (20.3 cm) color touch screen control panel tilts
 - up for easier viewing
- . Pull-out keyboard
- . Right door (access to the print path)
- . 100-sheet multipurpose tray 1 supports media up to 11 \times 17 inches (A3)
- . Front door access to toner cartridges
- . Hardware Integration Pocket (for connecting accessory and third-party devices)²
- . Easy-access USB port³
- 0.500-sheet output bin
- . Automatic two-sided printing
- . HP Secure High-Performance Hard Disk
- 3. 520-sheet tray 2 supports media up to letter (A4)
- . 520-sheet tray 3 supports media up to 11×17 (A3)
- . Slot for cable-type security lock
- . 2 Hi-Speed USB 2.0 Host ports
- . Gigabit Ethernet port
- . Hi-Speed USB 2.0 Device port



Series at a glance





| Model | HP LaserJet Managed MFP E72530dn | HP LaserJet Managed Flow MFP E72530z |
|--|--|--|
| Product number | Z8Z08A | Z8Z09A |
| Functions | Print, copy, and scan (fax and wireless optional) | Same as E72530dn |
| Print speed⁴ | Up to 30 pages per minute (ppm), letter and A4 | Same as E72530dn |
| ADF capacity | 100 sheets, supports media up to 11 x 17 inches (A3) | 250 sheets, supports media up to 11 x 17 inches (A3) |
| Scan speeds (black and color) ⁵ | Simplex/duplex: 80 ipm/160 ipm (letter and A4) | Simplex/duplex: 120 ipm/240 ipm (letter and A4) |
| Advanced workflow features | Send to Microsoft® SharePoint® | Same as E72530dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR |
| Optional input accessories | 2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, Printer Cabinet | Same as E72530dn |
| Optional output accessories | Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish). Booklet Maker | Same as E72530dn |

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability:

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime:

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product

Z8Z08A HP LaserJet Managed MFP E72530dn **Z8Z09A** HP LaserJet Managed Flow MFP E72530z

Accessories

B5L29A HP High-Performance Secure Hard Disk CC487A HP LaserJet MFP Analog Fax Accessory 500 HP LaserJet Dual Cassette Workgroup Feeder **Y1F97A** HP LaserJet 2000-sheet HCI Input Tray Y1F99A Y1G02A HP LaserJet Inner Finisher Hole 2/3 Punch Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch Y1G04A HP LaserJet Inner Finisher Swedish Punch HP LaserJet Booklet Finisher Y1G07A **Y1G12A** HP LaserJet Hole Punch Swedish Accessory Y1G22A HP LaserJet Paper Tray Heaters Accessory

Supplies

W9005MC
 W9006MC
 HP W9005MC Black Managed LaserJet Toner (48,000 pages)
 HP W9006MC Black Managed LaserJet Imaging Drum (200,000 pages)
 HP W9007MC Managed LaserJet Toner Collection Unit (100,000 pages)

HP Care Packs

U9LU4E

U9LU5E HP 3 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed U9LU6E HP 4 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed U9LU7E HP 5 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed U9LU8E HP 3 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E725xx MFP Managed U9LU9E HP 4 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E725xx MFP Managed U9LV0E HP 5 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E725xx MFP Managed U9LV1E HP 1 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) U9LV2E HP 3 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) U9LV3E HP 4 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) U9LV4E HP 5 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) U9LV5PE HP 1 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E725xx MFP Managed U9LV6PE HP 2 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 1 year Post Wty 4 hour 9x5 Svc w/Defective Media Retention for Laseret E725xx MFP Managed U9LV7PE

HP 1 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Managed MFP E72530

| Model | HP LaserJet Managed MFP E72530dn | HP LaserJet Managed Floz MFP E72530T | | |
|---|--|--|--|--|
| roduct numAer unctions | Print, Copy, Scan Dax and wireless optional? | RI USA | | |
| rint | Tillit, copy, scar box and wireless optional? | | | |
| uplex print options | Automatic Btandard7 | | | |
| Print speed ⁹ | wlacs) (4, normal@Up to 30 ppm; wlacs) letter, normal@Up to 30 ppm; wlacs) (3, normal@Up to 30 ppm; wlacs) (4, normal@Up to 30 ppm; wlacs) (4, duplex@Up to 20 pm; wlacs) (4, duplex@Up to 30 ppm; wl | | | |
| | ipm; wlacs) (3, duplex@Up to 10 ipm; wlacs) taAloid, duplex@Up to 10 ipm wlacs) (4, readv@As fast as 9.8 sec: wlacs) (4, sleep@As fast as 23 sec; wlacs) letter, readv@As fast as R.0 sec; wlacs) letter, sleep@As fast as 23 sec | | | |
| First page out ³ Print technology | Laser | | | |
| Print resolution | waac\$)Aest@Up to 1200 x 1200 dpi reduced speed; wlac\$)normal@Up to 600 x 600 dpi | | | |
| Print cartridges number | 1 D black carridge? | | | |
| Standard print languages | HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, P(F № 1.97, AirPrint™ compatible | | | |
| Printer management | Printer Administrator Zesource Kit for HP Universal Print (river DIP(Active (irectory Administrator Template, Add Print Model to Comments, AutoUpgradeUP(, (river Configuration Utility, (river (eployment Utility, Hanaged Printing Administration, PZNCON, EXE, HPPZLOG, Migrate-Server-Tools, UpdateNow, Zemove Plug and Play (rivers? HP Web Jetadmin Software; Zesource Kit for HP Web Jetadmin DHP SNMP Proxy Agent, HI Pro Prox Agent? HP JetAdvantage Security Manager | | | |
| ocan | | | | |
| Scan technology | ' ypeBFlatbed, A(F; ' echnologyBFlatbed; A(F | | | |
| ican speed ⁸ | Normal, (4BUp to R0 ppm/160 ipm @&w7, up to R0 ppm/160 ipm @color7 | Normal, (4BUp to 120 ppm/240 ipm Ds. 8w7, up to 120 ppm/240 ipm Dolor7 | | |
| ican resolution | EnhancedBup to 600 x 600 dpi; Hardz areBup to 600 x 600 dpi Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Zemoval; Edge Eras | | | |
| Digital sending starndard features | Auto Color Sense; Auto Crop To Content; Compact P(F; Auto Tonescale; Auto Orientation; Multi-Pick (etect | | | |
| Scan size | FlatAedB289 x 432 mm; (DF scan siTeB289 x 432 mm | | | |
| ican input modes | Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to (evice Memory; | | | |
| Scan file format | (igital Send: P(F, Hi-Compression P(F, JPEG, TIFF, MTIFF, XPS, P(F/A; Scan to easy access USB: P(F, JPEG, TIFF, MTIFF, XPS, P(F/A; Print from easy access USB: P(F, PS, Print Zeady files Dprn, .pcl, .cht7 | (igital Send: Pf. F.H-Compression Pf. F.JPEG, TIFF, MTIFF, XPS, Pf. FIA, TEXT (DCZZ, Unicode TEXT (DCZZ, ZTF (DCZZ, ZSearchable Pf. F (DCZZ, Searchable Pf. F (DCZZ), SEAR | | |
| opy | Better remote diagnosis and repair; Higher first time fix rates; Full toner; LLC utilization; Capture un-billed pages from reconnected network devices, personal printers; On-site access to service training; A3 LaserJets are | | | |
| Copy smart software features | designed for fewer LLC replacements and faster repairs. | | | |
| Copy speed | wlacs)(4, normal@Up to 30 cpm; wlacs)letter, normal@Up to 30 cpm; wlacs Duplex)(4@Up to 20 cpm; wlacs)letter, duplex@Up to 20 cpm | | | |
| First copy out | wlacs) (4 dBAs fast as 9.2 sec; wlacs) (4, sleep@As fast as 21.5 sec; wlacs) letter@As fast as 9.3 sec; wlacs) letter, sleep@As fast as 21.5 sec | | | |
| Copy resolution | wlacS) text and graphics (BUp to 600 x 600 dpi Up to 888 copies | | | |
| Max. number of copies Copier resize | 25 to 400% | | | |
| Copier settings | Two-sided copying; scalability; image adjustments @arkness, contrast, background cleanup, sharpness? optimized text/picture Dext, mixed, printed picture, photograph? N-Up; N or I -ordering; content orientation; | | | |
| | collation; booklet; if Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview | | | |
| Fax . | I Note: | | | |
| Fax speed Fax resolution | 33.6 kbps Up to 300 x 300 dpi Q100 x 400 dpi for received faxes only7 | | | |
| ax resolution | up to 300x 2000 tipe thou 4 not up in received into a control of the properties of t | | | |
| | dialing numAersBUp to 1000 numbers Deach with 210 destinations?, P: interface supportedBYes; Fax p | | | |
| ax memory | Fax memory)(40BUp to 500 pages; Fax memory)letter0BUp to 500 pages | | | |
| onnectikity | 218 Canad LICE 2.0 Llock 1.18 Canad LICE 2.0 / puisse 1. Cinabit Ethograf 1.0/1.00/1.0007 patriophy 1.1 Llock | inva lategratics Declark 1 Fay mades part | | |
| Standard connectivity | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 (evice; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, R02.1X authentication (EAP- PEAP, EAP-TLS7, IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; | | | |
| Mobile printing capability ⁴ | Parager lent security. Swerr-V3, 321 Lts. Verk2-cite (pine, roz. 1 a dutentication (pen-pen), specific security. Swerr-V3, security to sing [Psec Plug-in Value in Cartina (pen-pen), specific security (pen-pen), specific | | | |
| Network ready | Standard Douilt-in Gigabit 10/100/1000T Ethernet7 | | | |
| Wireless capability | No wireless capabilities standard. There are optional accessories Rommon to all current Jedi products that support wireless. These are listed in the connectivity section, above. | | | |
| Network Capabilities Memory | Standard (built-in Gigabit 10/100/1000T Ethernet7 btandardB6 GB; MaximumB6 GB | btandardB9 GB: MaximumB9 GB | | |
| Hard Disk | One 320 GB Standard, embedded HP High-Performance Secure Hard (isk; AES 256 hardware encryption of greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job (ata, Secure A Erase-I isk? Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. | Two 320 GB Standard, embedded HP High-Performance Secure Hard (isk,Total 640 GB; AES 256 hardware | | |
| Processor speed | 1.2 GHz | | | |
| Duty cycle)monthlyO | Up to 300,000 pages; Recommended monthly page kolumeBUp to 50,000 pages | | | |
| Paper handling | | | | |
| Input | 100-sheet input tray, 520-sheet input tray, 520-sheet input tray, 100 sheet A(F; Optional 2000 sheet tray | y 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet A(F; Optional 200 sheet tray | | |
| Output | 500 sheet face-down output bin | Sicceday | | |
| Media type | Plain, HP EcoEFICIENT, HP Matte 80g, Light 60-94g, Bond, Zecycled, HP Matte 105g, HP Matte 120g, Mid-V | | | |
| | Labels, Letterhead, Envelope, Preprinted, Prepunched, Colored | | | |
| Media weight | Tray 1: 60 to 195 g/m²; Tray 2, 3: 60 to 220 g/m² Tray 1: 8R x 14R mm to 289 x 432 mm; Tray 2: 138.9 x 210 mm to 289 x 364 mm; Tray 3: 138.9 x 210 mm | m to 289 v 432 mm | | |
| Media sizes custom Dimensions)W x D x HO | 173y 1: 8K X 14K mm to 289 X 432 mm; 173y 2: 138.9 X 210 mm to 289 X 364 mm; 173y 3: 138.9 X 210 mm; 1 | 5R5 x 995.8 x R99.5 mm 023 x 30.5 x 34.5 in7 | | |
| Weight | 6R.13 kg | <u> </u> | | |
| What's in the Aox ¹ | Engine; TCU; (rums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-C(WW; Hardware install and setup documentation; Support flyers @ OES NOT INLCLU(E TONEZ7 | | | |
| Warranty features | 80 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in you region. | | | |
| bystems | 1 2 | | | |
| Compatible operating systems | Android, Linux Boss (5.07 Linux (ebian (9.0, 9.1, 9.2, 9.3, 9.4, 9.5, 9.6, 9.9, 9.R, 9.8, R.O., R.1, R.2, R.3, R.4, R.5, R.67 Linux Fedora (12.2, 23, 247 Linux Mint (1) 9, 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 1R7 Linux Zed Hat Enterprise (6.0, 9.07 Linux Substitution (1) 19.1, 19.2, 19.3, 18.2, 18.2, 19.3, 18.2, 19.3, 18.2, 19.3, 18.2, 19.3, | | | |
| Minimum system requirements | P: B2 GB available hard disk space; OS hardware requirements see microsoft.com | | | |
| becurity management | MacB1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, R02.1X authentication (EAP- PEAP, EAP-TLS7, IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; | | | |
| Sauta and I unc for the | Support for WJA-10 IPsec Configuration using IPsec Plug-in | | | |
| Fonts and 'ypefaces | R4 scalable TrueType fonts P. D. in 170 of Graphics (isplay ITG) 7 with trushescence rotating Educable angle Idiocable angle Idiocable will uniqued Home button flor quick return to the Home money ITSR High-speed 2.0 port-Hardware leterating Education Pocket. | | | |
| ontrol panel | R.O-in 120.3 cm/Tolor Graphics (isplay IEG(7 with touchscreen; rotating 12 dijustable angle/Tdisplay; illuminated Home button (for quick return to the Home menu?, USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard | | | |
| Display | R.O-in IZO.3 cm7touchscreen, SVGA Color Graphic (isplay ICG(7 | | | |
| Poz er | Poz er supply typeBinternal @uilt-in7power supply; Poz er supply requiredBinput voltage: 110 to 129Vac D/- 10%7,220 to 240Vac D/- 10%7,50/60 Hz D/- 3%7 | | | |
| ooftz are included | HP Connected, HP (evice Experience © XP7, HP PCL 6 Printer (river, HP Software Installer/Uninstaller, Mac 05 Welcome Screen © irects users to 123.HP.com or 05 App Source for printer software?, Online user manuals (countly page or printing PS 6 PB7, printing mone simpley. Ad at 30 pow. (countly page or printing PS 0 PB7, printing PS 0 | | | |
| coustics | (coustic poz er emissions86.6 BDA7, printing mono simplex, A4 at 30 ppm; (coustic poz er emissions) ready@naudible; (coustic pressure emissions Aystander) actike, printing @50 dBDA7, printing mono simplex, A4 at 30 ppm; (coustic pressure emissions Aystander) ready@naudible | | | |
| Enkironmental ranges | Cperating temperature rangeB15 to 30°C. Recommended operating temperatureB15 to 30°C; Non-operating humidity rangeB10 to R0% ZH; Cperating humidity rangeB20 to R0% ZH; Recommended operating | | | |
| | humidity rangeB20 to R0% ZH | | | |
| bafety approkals and requirements | IEC 60850-1:2005 +A1:2008 +A2:2013 International?, EN60850-1:2006 +A1:2008 +A1:2010 +A12:2011 +A2:2013 (EU?, EN 60R25-1:2014 / IEC 60R25-1:2014 (IZ) ass 1 Laser Product?, EN 62498:2010 (IEC 62498:2010) EN 62491-1:200R / IEC 62491-1:2006; Low Voltage (irective 2014/35/EU with CE Mark (Europe?, GS Certificate (Eermany, Europe?, UL/cUL Listed and UC Coc ID/S/Canada?, CAN/CSA C22.2 No. 60850-1-09 2nd Ed. 2011-12. Compliance with Laser safety standards 21 CFZ 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, (ated June 24, 2009. Other safety approvals as required by individual countries | | | |
| bupported netz orS protocols | | Port 8100, LP(, WS (iscovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: (HCPv6, ML(v1, ICMPv6; IPv4: Auto-IP, SLP, | | |

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then
- self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/Printersecurityclaims

 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/com/go/printersecurityclaims

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and colon). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Product walkaround disclaimers

- 1 The 250-sheet ADF is included on the Flow MFP E72530z only. The MFP E72530dn has a 100-sheet ADF.
- ² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ³ An administrator must enable the easy-access USB port before use.
- 4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver,
- and document complexity.

 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and

Technical specifications disclaimers

- No, please purchase USB cable separately (EMEA, Americas; AP) (Service Technician must install units)

 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
- 3 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Optional Wireless Direct and Wireless
- ⁵ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- 9 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.



